

雜 草 防 除

臺 灣 常 見 雜 草

Common Weeds in Taiwan

科 別 及 學 名	中 文	英 名
Acanthaceae(爵床科) <i>Dicliptera chinensis</i> (L.) Juss.	華九頭獅子草	
Alismataceae (澤瀉科) <i>Sagittaria pygmaea</i> Miq. <i>Sagittaria trifolia</i> L.	瓜皮草、鳳梨草、線慈姑 野茨菰、三腳剪、鉸剪草、水芋仔	Pygmy arrowhead Arrowhead
Amaranthaceae (莧科) <i>Alternanthera nodiflora</i> R. Br. <i>Alternanthera philoxeroides</i> (Mart.) Griseb. <i>Alternanthera sessilis</i> (L.) R. Brown. <i>Amaranthus spinosus</i> L. <i>Amaranthus viridis</i> L.	節節花 長梗滿天星、空心蓮子草 滿天星、蓮子草、田邊草 刺莧 野莧、野莧菜、綠莧	Common hoyweed Alligator weed Sessile joyweed Spiny amaranth Slender amaranth
Campanulaceae (桔梗科) <i>Lobelia chinensis</i> Lour. <i>Sphenoclea zeylanica</i> Gaertn.	半邊蓮、鑷仔草 尖瓣花、楔狀果草	Chinese lobelia Gooseweed
Caryophyllaceae (石竹科) <i>Stellaria aquatica</i> (L.) Scop. <i>Drymaria diandra</i> Bl.	鵝兒腸、雞腸草、雞腸仔菜 菁芳草、荷蘭豆草	Water starwort Heartleaf drymary
Chenopodiaceae (藜科) <i>Chenopodium ficifolium</i> Sm.	小藜、小葉灰藿、狗尿菜	Figleaved goosefoot
Commelinaceae (鴨跖草科) <i>Commelina benghalensis</i> L. <i>Commelina diffusa</i> Burm. f.	竹葉菜、竹仔菜、圓葉鴨跖草 水竹葉、白竹仔菜	Tropical spiderwort Spreading dayflower
Compositae (菊科) <i>Ageratum conyzoides</i> L. <i>Ageratum houstonianum</i> Mill. <i>Bidens bipinnata</i> L.	藿香薊、白花藿香薊 紫花藿香薊 鬼針草、小葉鬼針草	Tropic ageratum Blue billygoat weed Spanishneedles

科別及學名	中 文	英 名
<i>Bidens pilosa</i> L. <i>Bidens pilosa</i> L. var. <i>radiata</i> (Bl.) sherff.	咸豐草、赤查某、白花鬼針草 大花咸豐草	Hairy beggarticks
<i>Centipeda minima</i> (L.) A. Br. et Asch.	石胡荽、吐金草	Spreading dayflower
<i>Eclipta prostrata</i> (L.) L.	鱧腸、墨菜、田烏草	Eclipta
<i>Emilia sonchifolia</i> (L.) DC. var. <i>javanica</i> (Burm.f.) Mattfeld	紫背草、一點紅、葉下紅	Red tasselflower
<i>Conyza bonariensis</i> (L.) Cronq.	美洲假蓬	
<i>Conyza canadensis</i> (L.) Cronq.	加拿大蓬、鐵道草	Horseweed
<i>Conyza sumatrensis</i> (Retz.) Walker.	野塘蒿、野桐蒿	Fleabane
<i>Crassocephalum crepidioides</i> (Benth.) S. Moore.	昭和草、飛機草、飢荒草	Brazilian fireweed
<i>Gnaphalium luteoalbum</i> L. subsp. <i>affine</i> (D.Don.) Koster..	鼠麴草、佛耳草、清明草	Jersey-cudweed
<i>Gnaphalium purpureum</i> L.	鼠麴舅、母子草	Purple cudweed
<i>Hemistepta lyrata</i> Bunge	泥胡菜、野苦麻	Fog's hemistepta
<i>Ixeris chinensis</i> (Thumb.) Nakai	兔兒草、苦菜、兔仔菜	Rabbit milkweed
<i>Pterocypsela indica</i> (L.) C.Shin.	山高苣、鵝仔菜	India lettuce
<i>Soliva anthemifolia</i> (Juss.) R. Br. ex Less	假吐金菊	
<i>Tridax procumbens</i> L.	長柄菊、燈籠草	Coat buttons
<i>Vernonia cinerea</i> (L.) Less.	一枝香、假鹹蝦、紫野菊	Little ironweed
<i>Youngia japonica</i> (L.) DC.	黃瓜菜	Oriental hawkbeard
Convolvulaceae (旋花科)		
<i>Ipomoea cairica</i> (L.) Sweet	掌葉牽牛、番仔藤、槭葉牽牛	Cairo morningglory
<i>Ipomoea obscura</i> (L.) Ker- Gawl.	野牽牛、姬牽牛	
<i>Ipomoea biflora</i> (L.) Persoon.	白花牽牛、網仔藤、貓牽牛	
Cruciferae (十字花科)		
<i>Capsella bursa-pastoris</i> (L.) Medic	薺菜、地米菜	Shepherdspurse
<i>Cardamine parviflora</i> L.	小葉碎米薺、野芹菜、蔞菜	Smallflowered bittercress
<i>Rorippa indica</i> (L.) Hiern.	山芥菜、葶藶	Yellowcress
Cyperaceae (莎草科)		
<i>Cyperus compressus</i> L.	扁穗莎草、莎田草	Compressed flat-sedge

科別及學名	中文	英名
<i>Cyperus difformis</i> L.	球花蒿草、三角草、異花莎草	Smallflower umbrellaplant
<i>Cyperus iria</i> L.	碎米莎草、三稜莎草、無頭土香	Rice flatsedge
<i>Cyperus rotundus</i> L.	香附子、土香、臭頭香	Purple nutsedge
<i>Fimbristylis dichotoma</i> (L.) Vahl.	飄拂草、竹子飄拂草	Forked fimbry
<i>Fimbristylis miliacea</i> (L.) Vahl.	木虱草、日照飄拂草、扁仔草	Fringerush
<i>Kyllinga brevifolia</i> Rottb.	水蜈蚣、短葉水蜈蚣	Green kyllinga
<i>Scirpus juncooides</i> Roxb.	螢藺、水尖仔、水蔥仔	Small scirpe
<i>Scirpus maritimus</i> L.	雲林莞草、田蒜仔	Sea club-rush
Euphorbiaceae (大戟科)		
<i>Acalypha australis</i> L.	鐵莧草、人莧、金石榴	Mercury
<i>Chamaesyce hirta</i> (L.) Millsp.	飛揚草、乳仔草、大本乳仔草	Pillpod scandmat
<i>Chamaesyce thymifolia</i> (L.) Millsp.	紅乳草	Gulf scandmat
<i>Phyllanthusamarus</i> Schum. et. Thonn	小返魂	
<i>Phyllanthus urinaria</i> L.	葉下珠	Gale of wind
Gramineae (禾本科)		
<i>Alopecurus aequalis</i> Sobol. var. <i>amurensis</i> (Komar.) Ohwi	看麥娘	Short-awn foxtail
<i>Axonopus compressus</i> P. Beauv.	地毯草	Tropical carpetgrass
<i>Arundo formosana</i> Hack.	臺灣蘆竹、籬竹	Pendent reed
<i>Brachiaria mutica</i> (Forsk.) Stapf.	巴拉草、爬拉草、鱸鰻草	Paragrass
<i>Cenchrus echinatus</i> L.	刺殼草、蒺藜草	Southern sandbur
<i>Chloris barbata</i> (L.) Sw.	孟仁草、紅拂草、拂塵草	Peacock-plume grass
<i>Chrysopogon aciculatus</i> (Retz) Trin.	竹節草、地路蜈蚣、粘人草	Mackie's pest
<i>Cynodon dactylon</i> (L.) Pers.	狗牙根、鐵線草、絆根草、百慕達草	Bermuda grass
<i>Dactyloctenium aegyptium</i> (L.) Beauv.	龍瓜茅、埃及指梳茅、竹目草	Crowfootgrass
<i>Digitaria adscendens</i> (H. B. K.) Henr.	升馬唐、假馬唐、糯米草	Southern crabgrass
<i>Digitaria radicata</i> (Presl.) Miq.	小馬唐、小指草	Chinese crabgrass
<i>Digitaria sanguinalis</i> (L.) Scop.	馬唐、馬唐草	Crabgrass

科別及學名	中 文	英 名
<i>Digitaria sericea</i> (Honda) Honda	絹毛馬唐、絹毛指草	Silky-haired crabgrass
<i>Digitaria setigera</i> Roem. & Schult.	短穎馬唐、大指草	Hispid crabgrass
<i>Digitaria violascens</i> Link	紫果馬唐、紫果指草	Violet crabgrass
<i>Echinochloa colona</i> (L.) Link	芒稷、紅腳稗	Junglerice
<i>Echinochloa crus-galli</i> (L.) Beauv.	稗草、稗子、野稗、水稗	Barnyardgrass
<i>Eleusine indica</i> (L.) Gaertn.	牛筋草、蟋蟀草、牛頓草、牛信棕	Goosegrass
<i>Eragrostis amabilis</i> (L.) Wight. et Arn.	鯽魚草	Feather lovegrass
<i>Eragrostis pilosa</i> (L.) Beauv	畫眉草、星星草、蚊子草	India lovegrass
<i>Eremochloa ophiuroides</i> (Munro) Hack.	假儉草、小牛鞭草、蜈蚣草	Centipedgrass
<i>Imperata cylindrica</i> (L.) Beauv. var. <i>major</i> (Nees) C. E. Hubb.	白茅、茅草、茅根、茅針	Cogongrass
<i>Leptochloa chinensis</i> (L.) Nees	畔茅、千金子	Red sprangle-top
<i>Miscanthus floridulus</i> (Labill.) Warb	五節芒、管草	Japanese silvergrass
<i>Panicum repens</i> L.	鋪地黍、匍地黍、硬骨草、枯藍丁、匍黍草	Torpedograss
<i>Paspalum dilatatum</i> Poir.	大理草、毛花雀稗	Dallisgrass
<i>Paspalum distichum</i> L.	雙穗雀稗、硬骨仔草	Knotgrass
<i>Paspalum orbiculare</i> Forst.	圓果雀稗、圓穎雀稗、小雀稗	Ricegrass paspalum
<i>Phragmites communis</i> L. Trin.	蘆葦、鹽水蘆竹	Common reed, giant reed
<i>Poa annua</i> L.	早熟禾	Annual bluegrass
<i>Rhynchelytrum repens</i> (Willd.) C. E. Hubbard.	紅毛草	Natalgrass
<i>Saccharum spontaneum</i> L.	甜根子草、野蔗	Wild sugarcane
<i>Setaria viridis</i> (L.) Beauv.	狗尾草	Green foxtail
<i>Sorghum halepense</i> (L.) Pers.	強生草、詹森草	Johnsongrass
<i>Sporobolus elongatus</i> R. Br.	鼠尾粟	Slender rat's tail grass
Labiatae (唇形科)		
<i>Clinopodium gracile</i> (Benth.) Kmtze.	塔花、光風輪菜	Slender wild basil
<i>Hyptis rhomboides</i> Mart. & Gal.	頭花香苦草、冇骨消	
Leguminosae (豆科)		
<i>Alysicarpus vaginalis</i> (L.) DC.	山地豆、煉夾豆、土豆舅	Oneleaf clover
<i>Desmodium triflorum</i> (L.) DC.	蠅翼草、三耳草、四季春	Threeflower beggarweed
<i>Mimosa pudica</i> L.	含羞草、羞誚草、見誚草	Common sensitive plant

科別及學名	中文	英名
Lythraceae (千屈菜科) <i>Ammannia baccifera</i> L. <i>Ammannia multiflora</i> Roxb. <i>Rotala indica</i> (Willd.) Koehne var. <i>uliginosa</i> (Miq.) Koehne	水莧菜、小千屈菜 多花水莧 紅骨草、印度水豬母乳、 紅骨仔草	Monarch redstem Toothcup
Malvaceae (錦葵科) <i>Sida rhombifolia</i> L. <i>Urena lobata</i> L.	金午時花、賜米草、豎仔 嗽血草 虱母草、野棉花、虱母子草	Arrowleaf sida Cadillo
Onagraceae (柳葉菜科) <i>Ludwigia octovalis</i> (Jacq.) Raven <i>Ludwigia taiwanensis</i> Peng. <i>Ludwigia epilobioides</i> Max.	水丁香、水燈香 水龍、過江龍、過溝龍 喇叭草、黃花水丁香、 丁香蓼、假柳葉菜	Longfruited primrose-willow Creeping waterprimrose Primrose-willow
Oxalidaceae (酢醬草科) <i>Oxalis corniculata</i> L. <i>Oxalis corymbosa</i> DC.	酢醬草、黃花酢醬草、 鹹酸仔草、鹽酸草 紫花酢醬草	Creeping woodsorrel Violet woodsorrel
Plantaginaceae (車前科) <i>Plantago major</i> L.	車前草、大車前草、五根草	Broadleaf plantain
Polygonaceae (蓼科) <i>Polygonum barbatum</i> L. <i>Polygonum chinense</i> L. <i>Polygonum hydropiper</i> L. <i>Polygonum lapathifolium</i> L. <i>Polygonum perfoliatum</i> L. <i>Polygonum plebeium</i> R. Br. <i>Rumex acetosa</i> L.	毛蓼 火炭母草、清飯藤、冷飯藤 水蓼、蓼 早苗蓼、早辣蓼、麥蓼 扛板歸、刺犁頭、犁壁藤 節花路蓼、珠仔草 酸模	Chinese knotweed Marshpepper smartweed Pale smartweed Asiatic tearthumb Small knotweed Sorrel
Pontederiaceae (雨久花科) <i>Eichhornia crassipes</i> (Mart.) Solms <i>Monochoria vaginalis</i> (Burm. f.) Presl	布袋蓮、水蓮花、鳳眼蓮 鴨舌草、學菜	Waterhyacinth Monochoria
Portulacaceae (馬齒莧科) <i>Portulaca oleracea</i> L.	馬齒莧、豬母乳、豬母菜	Common purslane
Rubiaceae (茜草科)		

科別及學名	中 文	英 名
<i>Hedyotis diffusa</i> Willd.	珠子草、龍吐珠	Flat-top mille grains Stinkvine Oval-leaf false buttonweed
<i>Hedyotis corymbosa</i> (L.) Lam.	繖花龍吐珠、定經草、珠子草	
<i>Paederia foetida</i> L.	雞屎藤、牛皮凍、臭腥藤	
<i>Spermacoce latifolia</i> Aubl.	闊葉鴨舌廣舅、闊葉破得力	
Schizaeaceae (海金沙科)		
<i>Lygodium japonicum</i> (Thunb.) Sw.	海金沙、竹圍菱、鼎擦藤	Falsepimpernel
Scrophulariaceae (玄參科)		
<i>Lindernia pyxidaria</i> All.	母草、陌上菜、白豬母乳	Yellowseed false pimpernel
<i>Lindernia anagallis</i> (Burm. f.) Pennell	鋸葉定經草、雞舌廣、定經草	
<i>Lindernia cordifolia</i> (Colsm.) G. Don	心葉母草	
<i>Lindernia crustacea</i> (L.) F. Muell	藍豬耳、百合草、瓜子草	Round-fruited lindernia
<i>Mazus pumilus</i> (Burm. f.) Steenis.	通泉草、六角定經草	
Solanaceae (茄科)		
<i>Physalis angulata</i> L.	苦蕒草、燈籠草、炮仔草	Annual ground cherry
<i>Solanum nigrum</i> L.	龍葵、烏歸子、烏子仔菜	Black nightshade
Umbelliferae (繖形科)		
<i>Centella asiatica</i> (L.) Urb.	雷公草、蚶殼草、地棠草	Asiatic pennywort
<i>Hydrocotyle sibthorpioides</i> Lam.	天胡荽、遍地錦	Lawn pennywort
<i>Hydrocotyle batrachium</i> Hance.	台灣天胡荽	
Verbenaceae (馬鞭草科)		
<i>Lantana camara</i> L.	馬纓丹	Common lantana